



RUSSIAN MARITIME REGISTER OF SHIPPING

CIRCULAR LETTER

No. 314-21-1341c

dated 28.02.2020

Re:

amendments to the Rules for Technical Supervision During Construction of Ships and Manufacture of Materials and Products for Ships, 2020, ND No. 2-020101-130-E

Item(s) of supervision:

navigation lights and flashing lights

Entry-into-force date:

01.04.2020

Valid till: -

Validity period extended till: -

Cancels / amends / adds Circular Letter No. -

dated

Number of pages:

1+2

Appendices:

Appendix 1: information on amendments introduced by the Circular Letter

Appendix 2: text of amendments to Part IV "Technical Supervision During Manufacture of Products"

Acting Director General

Sergey A. Kulikov

Text of CL:

We hereby inform that the Rules for Technical Supervision During Construction of Ships and Manufacture of Materials and Products for Ships shall be amended as specified in the Appendices to the Circular Letter.

It is necessary to do the following:

- 1 Bring the content of the Circular Letter to the notice of the RS surveyors, interested organizations and persons in the area of the RS Branch Offices' activity.
 - 2 Apply the provisions of the Circular Letter to the products contracted for construction on or after 01.04.2020.
-

List of the amended and/or introduced paras/chapters/sections:

Part IV: para 14.4.3

Person in charge: Dmitry V. Kalinkin

314

+7 812 605-05-29 доб. 2207

"Thesis" System No. 20-39510

**Information on amendments introduced by the Circular Letter
(for inclusion in the Revision History to the RS Publication)**

Nos.	Amended paras/chapters/sections	Information on amendments	Number and date of the Circular Letter	Entry-into-force date
1	Para 14.4.3	Requirements for tests of the lights have been specified	314-21-1341c of 28.02.2020	01.04.2020

**RULES FOR TECHNICAL SUPERVISION DURING CONSTRUCTION OF SHIPS
AND MANUFACTURE OF MATERIALS AND PRODUCTS FOR SHIPS**

ND No. 2-020101-130-E

PART IV. TECHNICAL SUPERVISION DURING MANUFACTURE OF PRODUCTS

SIGNAL MEANS

Para 14.4.3 is replaced by the following text:

"**14.4.3** Check of the range of visibility of prototype lights shall be carried out in laboratory conditions and confirmed during full-scale underway tests."